





Alle Angaben ohne Gewähr und vorbehaltlich technischer Änderungen und Satzfehler.
All information given are for reference only

ZERTIFIZIERT
EN ISO 9001 · SCC*





	0°	0°	40 0°	0°	0°	
3,5	7	7	7	7	3,5	3,5
5	7	7	7	7	3,5	5
6	7	7	7	7	2,826	6
7	6,27	7	7	7	2,294	7
8	5,315	7	7	7	1,918	8
9	4,602	6,579	7	7	1,637	9
10	4,05	5,804	6,9	7	1,42	10
11	3,61	5,186	6,171	7	1,246	11
12	3,251	4,682	5,576	6,828	1,105	12
13	2,953	4,263	5,082	6,228	0,987	13
14	2,701	3,909	4,664	5,722	0,888	14
15	2,485	3,606	4,307	5,288	0,803	15
16	2,298	3,344	3,998	4,913	0,73	16
17	2,135	3,115	3,728	4,585	0,665	17
18	1,991	2,913	3,489	4,296	0,609	18
19	1,864	2,734	3,278	4,039	0,558	19
20	1,75	2,574	3,089	3,81	0,513	20
21	1,647	2,429	2,919	3,603	0,473	21
22	1,554	2,299	2,765	3,417	0,436	22
23	1,47	2,181	2,625	3,247	0,403	23
24	1,393	2,073	2,498	3,093	0,373	24
25	1,322	1,974	2,381	2,951	0,345	25
26	1,257	1,883	2,273	2,82	0,32	26
27	1,198	1,799	2,174	2,7	0,296	27
28	1,142	1,721	2,083	2,589	0,274	28
29	1,091	1,649	1,997	2,486	0,254	29
30	1,043	1,582	1,918	2,389	0,235	30
31	0,998	1,519	1,844	2,3	0,218	31
32	0,957	1,46	1,775	2,216	0,201	32
33	0,917	1,405	1,71	2,137	0,186	33
34	0,881	1,354	1,649	2,063	0,171	34
35	0,845	1,305	1,592	1,994	0,158	35
36	0,814	1,259	1,538	1,928	0,145	36
37	0,783	1,216	1,487	1,866	0,133	37
38	0,754	1,175	1,439	1,808	0,121	38
39	0,726	1,137	1,393	1,753	0,11	39
40	0,7	1,1	1,35	1,7	0,1	40



40m

15°



7,2x7,25m

variabel



9t





360°



13000

	15°	15°	38,54 15°	15°	15°	
3,5	1,7	1,7	1,7	1,7	1,7	3,5
5	1,7	1,7	1,7	1,7	1,7	5
6	1,7	1,7	1,7	1,7	1,7	6
7	1,7	1,7	1,7	1,7	1,7	7
8	1,7	1,7	1,7	1,7	1,7	8
9	1,7	1,7	1,7	1,7	1,565	9
10	1,7	1,7	1,7	1,7	1,356	10
11	1,7	1,7	1,7	1,7	1,189	11
12	1,7	1,7	1,7	1,7	1,053	12
13	1,7	1,7	1,7	1,7	0,939	13
14	1,7	1,7	1,7	1,7	0,844	14
15	1,7	1,7	1,7	1,7	0,762	15
16	1,7	1,7	1,7	1,7	0,691	16
17	1,7	1,7	1,7	1,7	0,63	17
18	1,7	1,7	1,7	1,7	0,575	18
19	1,7	1,7	1,7	1,7	0,527	19
20	1,673	1,7	1,7	1,7	0,483	20
21	1,574	1,7	1,7	1,7	0,444	21
22	1,485	1,7	1,7	1,7	0,409	22
23	1,404	1,7	1,7	1,7	0,377	23
24	1,33	1,7	1,7	1,7	0,348	24
25	1,262	1,7	1,7	1,7	0,321	25
26	1,199	1,7	1,7	1,7	0,297	26
27	1,142	1,7	1,7	1,7	0,274	27
28	1,088	1,645	1,7	1,7	0,253	28
29	1,039	1,576	1,7	1,7	0,234	29
30	0,993	1,511	1,7	1,7	0,215	30
31	0,95	1,451	1,7	1,7	0,198	31
32	0,91	1,395	1,697	1,7	0,183	32
33	0,872	1,342	1,635	1,7	0,168	33
34	0,837	1,292	1,577	1,7	0,154	34
35	0,803	1,245	1,521	1,7	0,141	35
36	0,772	1,201	1,469	1,7	0,128	36
37	0,743	1,16	1,42	1,7	0,117	37
38	0,714	1,12	1,374	1,7	0,106	38
38,54	0,7	1,1	1,35	1,7	0,1	38,54



	30°	30°	34,53 30°	30°	30°	
3,5	7	7	7	7	3,5	3,5
5	7	7	7	7	3,08	5
6	6,506	7	7	7	2,387	6
7	5,347	7	7	7	1,931	7
8	4,526	6,472	7	7	1,607	8
9	3,914	5,612	6,674	7	1,366	9
10	3,439	4,946	5,888	7	1,179	10
11	3,061	4,416	5,262	6,447	1,03	11
12	2,753	3,982	4,751	5,827	0,909	12
13	2,496	3,622	4,326	5,311	0,808	13
14	2,28	3,318	3,967	4,876	0,722	14
15	2,095	3,058	3,66	4,503	0,649	15
16	1,934	2,833	3,394	4,181	0,586	16
17	1,794	2,636	3,162	3,899	0,531	17
18	1,67	2,462	2,957	3,651	0,482	18
19	1,561	2,308	2,776	3,43	0,439	19
20	1,463	2,171	2,613	3,233	0,4	20
21	1,374	2,047	2,467	3,055	0,366	21
22	1,295	1,935	2,335	2,895	0,334	22
23	1,222	1,833	2,215	2,749	0,306	23
24	1,156	1,74	2,105	2,617	0,28	24
25	1,095	1,655	2,005	2,495	0,256	25
26	1,04	1,577	1,913	2,383	0,234	26
27	0,988	1,505	1,827	2,279	0,214	27
28	0,941	1,438	1,749	2,184	0,195	28
29	0,896	1,376	1,676	2,095	0,177	29
30	0,855	1,318	1,607	2,012	0,161	30
31	0,817	1,264	1,544	1,935	0,146	31
32	0,781	1,214	1,484	1,863	0,132	32
33	0,748	1,167	1,429	1,796	0,119	33
34	0,716	1,122	1,376	1,732	0,106	34
34,53	0,7	1,1	1,35	1,7	0,1	34,53



40m

45°



7,2x7,25m

variabel



9t



360°



13000

	45°	45°	28,25 45°	45°	45°	
3,5	1,7	1,7	1,7	1,7	1,7	3,5
5	1,7	1,7	1,7	1,7	1,7	5
6	1,7	1,7	1,7	1,7	1,7	6
7	1,7	1,7	1,7	1,7	1,513	7
8	1,7	1,7	1,7	1,7	1,25	8
9	1,7	1,7	1,7	1,7	1,054	9
10	1,7	1,7	1,7	1,7	0,903	10
11	1,7	1,7	1,7	1,7	0,782	11
12	1,7	1,7	1,7	1,7	0,683	12
13	1,7	1,7	1,7	1,7	0,601	13
14	1,7	1,7	1,7	1,7	0,532	14
15	1,646	1,7	1,7	1,7	0,473	15
16	1,516	1,7	1,7	1,7	0,421	16
17	1,402	1,7	1,7	1,7	0,376	17
18	1,301	1,7	1,7	1,7	0,337	18
19	1,212	1,7	1,7	1,7	0,302	19
20	1,133	1,7	1,7	1,7	0,27	20
21	1,061	1,607	1,7	1,7	0,242	21
22	0,996	1,516	1,7	1,7	0,217	22
23	0,938	1,433	1,7	1,7	0,194	23
24	0,884	1,358	1,655	1,7	0,172	24
25	0,835	1,289	1,573	1,7	0,153	25
26	0,789	1,226	1,498	1,7	0,135	26
27	0,748	1,167	1,429	1,7	0,119	27
28,25	0,7	1,1	1,35	1,7	0,1	28,25